

The Times/Sinclair NorthAmerican User Groups Newsletter

FROM OUT OF 'THE ASHES' RISES >>>> ZXtr QLive Alive! <<<<

Times/Sinclair NorthAmerican User Groups
Volume 1, Number 1

Asheville, Indiana
Spring 1991

ROUTINES	REPORT MAP	ADDRESS
T/SSWG Chairmen		3
T/SSWG Information		3
ZXtr QLive Alive! Article Contributions		3
Contributors to this Issue		3
T/SSWG Meetings		4
From the Chairmen's Desk		4
TREASURY NOTES		6
STEADY'S Twisted Pair		6
NEWS ITEMS		6
Software List		6
Special Deals and Ways Articles:		6
JLO PROPOSES DEFENSE WITH LAMMEN!		7
SLEEPING RATS FIRE		8
Ads		11
And now a word from our Vendors		12

T/SSWG CHAIRMEN

Here is the list of 1991 T/SSWG Chairmen and how to contact them. We wish to support at least the following SING, SING/EXCEL, SPECTRUM/TS2068/TC1068 and QL. If you have questions about any of these fine machines contact the Chairman.

POSITION	NAME	PHONE	PRIMARY FUNCTION
Chairman	Don Lambert	319-825-1372	Chief Motivator
Vice-Chairman	Bob Swoyer	768-837-1967	Newsletter/BBS Symp
Vice-Chairman	Al Peng		File-View Mode/CA206 QL
Vice-Chairman	Rod Gower		Plotter/OCATS
Vice-Chairman	Bill Harter		TS Bulletin
Vice-Chairman	Open		QL
Vice-Chairman	Open		Books and Purchasing
Vice-Chairman	Open		Libraries
Vice-Chairman	Open		What can you do?

Copyright (C)1991 Times/Sinclair NorthAmerican User Groups

Volume 1, Number 1

ZXtr QLive Alive!
1

Spring 1991

EXir QLive Alive! Kick-off Announcement

SNUG is DEAD!
Long LIVE T/SNUG!

If you feel as I do,--
READ ON!

If a doctor saw no life in a body for six months he would presume that body was dead! If our user group doesn't hear from another user group for six months we presume it is dead and we cease to exchange newsletters with it. We have waited long enough for the leaders of SNUG to MOVE but they haven't! Do you all remember "Lead, Follow or get out of the way!"?

The folks at the helm presently must not be thought of as DEAD, they just don't have the time he devotes to this undertaking. Therefore, let us not chase them away as we will need their help, let's just ask them to step aside and let us get moving. As Larry Henry points out all the time "being negative causes destruction and loss. The SNUG officers are fine men, they are just overloaded.

Since SNUG was supposed to be US, the SINGULAR community, WE must be the ones to get it MOVING!

We have a MAN WHO IS WILLING and HAS the SPUNK to motivate OTHERS who will MOVE. That man is Don Lambert of ALBURN, INDIANA, formerly of CRAGIST, the newsletter of the CEDAR RAPIDS, IOWA group. T/S user groups, let's give Don his head, let you would let go of the restrictions of a horse, and LET HIM TAKE YOU HOME, that is, to a place that gives you a warm feeling!

What I am proposing here is that WE allow Don to be the CHAIRMAN of a NEW organization called T/SNUG, the Times/Singular North-American User Groups, and then, ask each

T/S users group to motivate a VICE-CHAIRMAN from their group to add their names to the list of vice-chairman for the purpose of maintaining activity in T/SNUG. The present conventional officer set-up of SNUG makes no sense! The president has to call meetings and have the other officers present. For a continent wide outfit, HOW? How can you vote them out?

A good number of T/S users are retired and have talent. Let's get this show on the road and use that talent!

If Don took the reins as Chairman, and other men took a vice-chairmanship for other tasks. Don would not have to wait on others to get an OK to move from a few officers, he would move on his own from what he gets from a pool of about 20. Also, Don has most of the equipment. What say we give him a try? At first he will be the whole thing, but as each member group adds to the list of vice-chairmen willing to do some task, this thing can grow.

Don would put out a newsletter at least four times a year.

Don would see to it that software libraries were built up and listed in the newsletter periodically.

Don would build a list of every known T/S user in North America and make it available to all user groups.

The T/SNUG newsletter would always be available on BBS so that all the INFO could be downloaded.

The T/SNUG newsletter would also include printings of vendor catalogs FREE to the VENDERS.

CATUG did offer SNUG newsletter help and SNUG did not take it, we offered BBS help and SNUG did not take it. Don will accept help from all of us.

How do we give this a try? Find

someone in your group who is retired and willing to send copies of your newsletters to Don in hard copy and 3 1/4" disk in one of the formats he mentions in his letter and see what he does with it. A small check of encouragement would be nice to get this moving. As for FUNDS? They would be in the future the same as for SNUG and if SNUG has any left on hand now, they could forward those funds to Don eventually. Don must not do this out of his own pocket, for sure, his wife would kill him!

As for a mailing list, if Don can't obtain a list from SNUG, he can build a new list from the user groups.

If you feel as I do, talk this over with your user group, find a vice chairman for T/SNUG and have him or her get in touch with Don.

Many thanks to Al Ferry for the newsletter news, Kirk Olive Alive! It expresses the wish of many to keep the T/SNUG/QL family of computers going for decades to come.

Bob Swoger, Representative
Chicago Area Times Users Group

T/SNUG Information

Kirk Olive Alive! is the newsletter of T/SNUG, the new Times/Sinclair NorthAmerican User Groups. We are committed to put out at least four newsletters a year, for an annual contribution of \$12.00 for individuals or \$13.00 for user groups you can become a T/SNUG member with full membership privileges. We will earn your support! For now, send your contribution to:

DON LAMBERT
Kirk Olive Alive Newsletter
1301 KUBLINGER PL
AUBURN IN 46704

T/SNUG, the Times/Sinclair NorthAmerican Users Group, wishes to have chairman from every North American users

group who will take charge of sending us your user groups news letters and other correspondence. If you desire to reprint any articles that appear here, please provide credit to the author and this newsletter.

We encourage your user group to copy this newsletter and distribute it at your regular meetings to your members.

Articles appearing in this newsletter can be obtained by downloading this newsletter from our BBS. You may reprint it using this means if you wish.

Kirk Olive Alive! ARTICLE CONTRIBUTIONS

If you would like to contribute an article to the newsletter, upload a file to our BBS called TSNUG.ART. If you have an AD for the newsletter upload a file called TSNUG.ADS. If you have NEWS to POST about your group, UPLOAD a file called POST.NWS.

If you need help contact the SYSDOP by mail, E-MAIL or the T/SNUG BBS, or by phone:

BOB SWOGER
613 PARKSIDE CIR
STREAMWOOD IL 60107-1647

It is preferred that you call:
8108/817-7037 or 8703/878-8048

If you can only contribute hard copy or disk format, send your inputs to:

DON LAMBERT
Kirk Olive Alive Newsletter
1301 KUBLINGER PL
AUBURN IN 46704

It is preferred that you call:
8219/823-1372 before sending.

CONTRIBUTORS TO THIS ISSUE

EMSOFT
Don Lambert
SNUG
SEARS
Bob Swoger, KIRBY

T/SHUG MEETINGS

T/SHUG, the Thomas/McClair North American Users Group, can't hope to have meetings if we are spread all over the continent, so we will meet in user group newsletters. Each user group can express the needs of the T/S community in open letters to T/SHUG.

One meeting of T/SHUG is possible at DARTON in August as we are finding that ISTPS, CATS, SHUG and CATS will all be there.

FROM THE CHAIRMANS DESK

Happy 1991! The turn of the decade certainly has heralded many changes. 1991 sure started out with a bang. Robert Stern and all, but one small shocker was a phone call from Bob Swager after he read a letter I wrote to CATS in OREGON. He asked for a disk with my letters to CATS on it and here is a portion of that letter:

TO: CLATSOP COUNTY AREA
T/S USERS GROUP

Dear T/Sers,

Is there a SHUG? That depends upon what you call it. I talked to Paul Solgren and the next issue (is it #3) is about ready to be mailed. I got a firm promise of that before the next meeting of ISTPS (March 30th) but also at the last meeting I got assurances it would be mailed within two weeks.

I assure you it does me no good as an editor not knowing when it will get published and mailed so that I will know what material was used in the issue so that I can lay out the next issue. I do have the material for the next few issues and some material of my own to include.

This is not by my design, but what has been given to me. I do not have the list of addresses of members or I would have dug into my pocket and gotten

something out. For some reason they or Paul wants to retain the control of the printing and mailing. And Paul is 135 miles away and letters go unanswered and telephone calls get expensive. They requested me to be SHUG newsletter editor last November and so far not much has been done. That seems typical of SHUG.

If I had the information to be able to mail out to the SHUG members, something would have been done, at least by last Christmas. Nothing far away but at least let everyone know that SHUG was still around. Several times I almost gave up but I keep thinking that it will get going. I hope that it will before all the T/Sers leave the fold.

Rumors and hints of a pending election of SHUG officers means maybe someone can be elected to get this going. I will admit that I am not a political animal but more of a deer and maybe that is what is needed. Of course, if I were an officer I might antagonize some members but that would be better than what is going on now.

About elections, I would accept an office. I don't know the duties of any but I would not turn down any. But I would want to continue the SHUG newsletter if at all possible unless someone with better qualifications comes along. It will be a thankless job I know but if anyone sends me material the newsletter will continue.

Look not only at a persons ability but also at their ability to devote time to it. Nominate someone that will work at it, not a name that just hasn't time to do it. By default you are almost looking at retired people to do the necessary work. But also most retired people have their time well scheduled and want to do other things too. For example, Bill Jones of UPDATES. I am proud to have known him even if it was by telephone and letters only.

As far as my abilities with the T/S computers, I am still in the beginners stage in many ways. I will admit that since I have attended the ISTUG meetings beginning back in October (I missed the January meeting, snap most too) I have learned so much more. Not what I would go to the meetings to find out but what was there to learn and what the others wanted to explain. I still have problems but I am farther along than before I moved into ISTUG territory.

I only work with the 2081, 2281, T/81000, T/81000 and the T/82000. I do have one T/82000 with the SPECTRUM ROM but I have not used it. When I feel that I have learned the T/82000 I will be ready for the SPECTRUM. Since the QL and the 888 do not use the same language I am not interested in them. At present, the only time I would want to have a QL is when I need to copy an EPROM.

I have much hardware for the above computers and lately, March 2nd, I performed a marriage and now have the Larkem/Oliger disk system (SUPER disk) running on my working T/82000 computer. I did not do the complete hardware modification of the Larkem disk board since I did not bend out pin 1 of the 74HC74 chip on the OLIGER SAFE board and tie it to pin 14 so that I could power up with both interfaces active without the computer freezing up as suggested by Larry Perry. The only problem is that I cannot load my Oliger version of MSCRIPT V5.3 with the Larkem board enabled. If I do and I try to load a file the computer does a NOW! A quick I can live with since I am now sworn of it. The reason I did not bend out pin 1 is that the chip is soldered in.

On the 2281 I am trying to get an AERCO disk interface working with double sided 40 track drives. The used system that I have has one single sided 35 track drive and the docs confirm that it was from the

days of 8 inch drives and when the first 3 1/4" drives were single sided 35 track and quite likely single density since the software asks when you FORMAT if it is single or double density. Changing drives requires a new interface EPROM. AERCO still makes the system and supplies the EPROMs. I have the Larkem 2281 disk system set to SAVE a program that has machine code in it you have to FORK the start address and the length of the code and I do not know how to find that out.

On the T/82000 I have been transferring my Larkem MSCRIPT files to Oliger by way of a cassette version of MSCRIPT V5.0 which I converted to LOAD Larkem and to SAVE Oliger. That does best SAVING to cassette and reLOADING to the other version of MSCRIPT which I did a few times before I got the Larkem/Oliger marriage performed.

Anyone with comments to send in to SMOO please do this, ask for help, get something to sell, want to buy something, got a problem, got a solution to a problem you have had. Anything at all about any of the T/S computers including the clone of the 2081, the PC8300 (or IQ8300).

If you write and want an answer please use a LARGE so that I do not have to dip into my allowance to reply. My postage bill is high enough and the new rate does not into my allowance even more. Can't believe how fast the stamps go. I buy them about 40 at a whack and it seems like I have to do it more than once a month. Save with telephone bills. I am willing to talk anytime except that my wife when she is home does like to have me do other things. . . .

Bob Swoger is the Editor for the Glenside Color Computer Club, the Chicago Area Tams Users Group, and both President and Editor of the Motorola Microcomputer Club in Illinois. He suggested that I take the

bull by the horns and become the chairman of a new group that would do what SWUG was supposed to do. Now, Bob is some kind of salesman and he feels that we will get the backing of the T/S community if I accept this chairmanship and we, the T/S community, break loose from SWUG and 'RUN WITH IT' so to speak. OK, I am willing to give it a try.

I will need your help, I can't do it alone, but I assure you that when I say that the Times/Sinclair NorthAmerican Users Group is going to be moving forward in innovative software, user support, and product assistance; you are not hearing the ramblings of a madman nor the visions of a lunatic. You are hearing the convictions of one who knows the blinding power of this fellowship, and the collective desire to 'help the person next to me'.

Don Lambert, Chairman
Times/Sinclair NorthAmerican
User Groups

STOMP: TWISTED PAIR

```

' ' ' R E M E M B E R ' ' '
We now have a 24 hour BBS
and welcome you to exchange mail
and contribute to the Download
Section. Use it and have fun!
*****
*          T/S/MSUG BBS          *
*          188/336-1072          *
*          Type at the > prompt; *
*          MOTUCOLA then QUIT    *
*          BYE to log out        *
*          Commands are: DIR,TYPE,MAIL,*
*          UPLOAD filename.type *
*          DOWNLOAD filename.type *
*****

```

TREASURY NOTES

In this spot we will give you an accounting of our finances, you have a right to know.

The current paid membership stands at 9.

For the year 1981 forward, please be ready to include your ZIP+4 code when you renew your

membership. It will speed up the mailing. Thank you!

NEWS ITEMS

SINCLAIR ComputerFest August

 It has been reported by Bill Heberlein, the President of the SINAI group that CATE, CAPUG, ISTUG and SWUG are planning to be at the SINCLAIR ComputerFest in August. The exact date is still not known yet but we hope the Sinclair community will take this opportunity to make a good showing. We will let you know of the exact dates and other details when we find them out.

ARTICLES

OLIVER PROPOSES DETENTE WITH Larkes®

by
 Don Lambert

I have gotten involved with disk drives and different disk operating systems (DOS) for both the T/12048 and the 1201. Currently I have two different DOSs for each. I started out with the Larkes DOS for the T/12048 and I thought that was the very best. It will support 1 1/2" or 5 1/4" single or double sided, double or quad density 800Kb compatible disk drives.

The interface will service 4 disk drives plus a RAMDISK. It uses cassette commands but with a prefix. To LOAD you would enter RAND U8 1001 RAND "XXXXX", O or N or C/X". As you can see you have six characters, a mandatory decimal place and then a mandatory A or B or C and then an optional character but there has to be one. Contrary to cassette, you have to FORMAT a disk before you can SAVE a file to it. Once you have done the key punching, the LOADING or SAVING or other Larkes commands are fast. To change drives you use: RAND C88

100: GOOD 01 or 1 or 2 or 3 (or 4) with 4 being the HARDISK.

The main difference between HARDISK and the regular drives is the speed of LOADING and SAVING and also the fact that it is silent. I thought that was great.

Then Bob Sweager of CATUS (Chicago) sent me a copy of LogiCall which is an Auxiliary Operating System for the Larkem. LogiCall is installed on every disk you have and only takes up one track. When you power up the computer LogiCall is loaded by AUTOSTART. The Larkem disk Catalog is displayed on the screen and a DRIVE? prompt is displayed at the bottom of the screen. If you wish to go to another drive you hit 0 thru 4 then the ENTER key. It automatically displays the Catalog of that disk on the screen. It then displays the PROGRAM? prompt at the bottom of the screen. You may now either type in the file name of that program or just hit ENTER. If you just hit ENTER, the first file name in the Catalog is highlighted and the file name also appears to the right of the PROGRAM? prompt. You use the Arrow keys to move the highlight box around the Catalog. Then hit ENTER and that program will load. Sweet a lot of key punching but it can be slow if the program you want is at the bottom of list.

LogiCall not only loads the BASIC programs into the machine but also displays SCREENS saves using the .CS file extension right to the screen for you to see. It also displays word processor files that end in .OT and .On to the screen from disk. It scans files from the Catalog and resumes files. It LOADS in the word processor, terminal software, AUTOSTART, HELP screens, MOVE and FORMAT programs with just 2 key strokes.

Changing drives is done by entering the drive number you wish to go to and then ENTER at either the DRIVE? prompt or the

PROGRAM? prompt. You can get the DRIVE? prompt to return by keying 0 then ENTER and refresh the Catalog with 0 and ENTER. Frank Davis says LogiCall is a 'MUST' for Larkem owners.

One feature of Larkem that I didn't mention is that the FORMAT/COPY and MOVE programs are on disk so when you wish to FORMAT you have to LOAD that program. Also, you need a disk of utilities since there are many things not in the Larkem ROM. (This was done to allow for Sequential and Random Access file manipulation, a true program MARK command, windows and other graphic commands not possible in the Olliger system. The T/E community has yet to TAP these resources.)

Since I am in Olliger country and I am to be the T/ERRA newsletter editor I needed to be compatible with the local group. I had checked and the Olliger disk interface plugs into a mother board that I had from when I got it for an EPROM programmer. So all I needed was the two Olliger disk boards and while I was ordering I ordered the Olliger printer interface. The first thing that I noted was that the manual was more detailed and that there was no disk for utilities. There is a small program listed inside the cover of the manual for the menu/loader program. And then the differences began to show.

The Larkem will Format 35, 40 or 80 tracks. The Olliger will FORMAT from 2 tracks to 256 tracks. If there is enough magnetic medium on the disk you can FORMAT to many more tracks. [Unfortunately, if you try this trick, you may wind up running the head stopping mechanism of your disk drive against one end of its travel knocking your heads out of alignment. Some folks have already experienced this on drives by particular manufacturers. We will try to get a list.]

Testing some disks I successfully FORMATED on an 80

track drive to 90 tracks. And that gives me capacity of 90 x 2 x 5K is 900K and with track 0 using 5K that leaves 895K for files. And track 0 has about 1.5K reserved for the menu/loader program so that it doesn't even use any file area. And the commands are like the cassette commands except that you put a slash after the command like: LOAD/"ten characters". If you have a disk with the menu/loader on it in drive 0 and you have just turned on the computer you enter LOAD/ and press ENTER and the menu goes to the screen and there is a cursor and no matter which key you use it hops down the screen and back to the start if you overshoot. Unlike LogicCall, you can't move back up to a file if you overshoot, you must go all the way through the directory again to get back to the program you want to load in but it moves faster than LogicCall. When the cursor is on the program you want to load press ENTER. Oliger does have a lot of keyboarding when loading and doing other things. If you want to change drives you: SET/D-W (W is 0 to 3) and ENTER. Of course the Larken RAMDISK will not operate.

There is one other program which is a utility and that is SHM ABC which greatly helps when copying disks. It also will arrange the file names in alphabetical order so that when the files are copied they are copied in that order. I used that today to arrange my address files that I use to ABC the addresses to my letters.

Both systems have a MS-DOS snap shot SAVE. Both use a lot of disk space when they do that. The Larken SAVES all below RAMDISK and optionally the screen area as well while the Oliger SAVES all of memory including what is above RAMDISK. Both require an extra command to load the program, on the Larken it is CODE and on the Oliger it is ABC.

Larken systems have two boards, a Disk Controller Board which

plugs into the BUS connector on the rear of the T/82048 and provides a BUS extension, and a DOS board which plugs in the dock port. That means that dock port cartridges can not be used when you use the disk interface (unless you plug EPROMs containing the dock port programs into the Larken DOS board in the socket over the RAM). The Oliger system has three boards, the Disk Controller Board and the DOS Board plug into a mother board which in turn is plugged into the rear of the T/82048. (The need of this third board is why the JLD system is priced so much higher.)

Now that does enable us to do something quite amazing and that is have both systems going at once with the same disk drives being used for either. To do this you will need V2.54 or later EPROMs for the Oliger system. (John Oliger as of late has released his version V2.55 EPROM to work with the Larken LKDOS version 03 EPROM. V2.53 would wipe out the directory track on the Larken disks and cause Bill Jones' UPDATE readers to come away scratching their heads.)

And you will need a special EPROM for the Larken dock board, do a line cut and solder in a disable switch, my Oliger already had the switch installed otherwise I would have had to do it. With the Larken board modified and installed and the Oliger board disabled (another set of lead cutting and soldering would eliminate this) power up and the computer is in Larken but using the two Oliger interface boards. Now if you enable the Oliger board and do that: RESTORE/S and ENTER then the Oliger is also enabled and which ever disk command is given is which disk system is used. If you have an Oliger disk in and use a Larken command the computer is not helpful to report disk I/O ERROR. If the program will break you could LOAD in on one disk DOS and SAVE it to the

other, conversely, if it was a snapshot SAVE it could be loaded in one and MDI snapshoted to the other. However, in that case you have to disable the DOS reg being used or else both will fight to do the MDI SAVE. That is the need for a disable switch. With the Larkes, if you want to SAVE and have no FORMATED disks handy, you are sunk. But with the Oligier, you can FORMAT a disk since it FORMAT is PROMM resident. Thus you can avoid the problem of not having a FORMATED disk. I use a word processor on my T/32068 called MSCRIPT and the version I like to use is V3.5. I had it in Larkes DOS and I could not find the SAVE and LOAD commands to convert it to Oligier but I have since found an Oligier copy. But since I seem to be using Oligier DOS all the time and most of my files are in Larkes I wanted to convert the Larkes files to Oligier. I have a much earlier version, V3.0, which I got as a cassette version and I could find the LOAD and SAVE commands and so I made the LOAD Larkes and the SAVE Oligier. Fine and dandy it worked and I got a bunch of files SAVED to Oligier. Then using the BACKUP command in the word processor I SAVED that version of the word processor. But later when I went to use it again, I could not get it to LOAD and I got that can't find report or else wrong file type error.

Finally, I realized that it was a CATCH 22. I had SAVED it in Oligier mode but the program was written to use the Larkes mode. I finally realized how to do it so I loaded the earlier version again and got back into the program and changed the LOAD and SAVE and then I pushed the MDI snapshot SAVE button. And when I MOVED and tried to LOAD it came right up. I named the file "mscript-0" so I would know which it is.

Last night I tried to FORMAT a disk for the Larkes but as soon as the program went to the disk drive it hung up. I wonder if

it is because I did not do one modification to the Larkes disk board. I had to install the pure Larkes disk system to get a disk FORMATED. [Don did not realize that Larkes O3 DOS used for SUPER DOS requires the FORMAT.30 program, not FORMAT.80, to format a disk]. Everything else seems to work except the Larkes PROMMOS will only work with the Larkes enabled but with both Larkes and the Oligier enabled so I wonder since I do not plan to use the Larkes much if I should even consider modifying the board. It requires loading a leg out on one chip and running a wire from it elsewhere. And since the chip is soldered in it might be hard to get the leg out and bent out. Will try to find out at the ISTUG meeting. That pretty much covers the T/32068 and my disk system except that there are about 1700 disk systems for the T/32068 and of those about 88% are either Larkes or Oligier. I would like to be compatible with all but there is a limit, especially since some systems were only made in two's and three's.

STEPPING RATE FIX

by

Rob Sawyer and Larry Henry

The May 1989 issue of Capital District T/3 Computer Club's newsletter told of two members using T/32068's with LKDS having trouble reading each other's disks. It seemed that Fred Lewis could read John Warren's disks but John could not read Fred's disks. This sounded familiar to me as I once had trouble reading disks that came from Rod Towne and Larry Henry.

The problem I had was head stepping rate. The drives I use have a 30ms stepping rate. This means that to move from track 0 (the directory track) to track 40 requires 1.2 seconds. A 6 ms stepping rate requires only 240ms, what the controller chip does is wait a period of time to begin reading or writing the disk to give the head time to

Remove the writeprotect in
bail, place the disk which needs
its head step ratechanged let
a DRIVE 0 and program000.

```

1040 INPUT " CONTINUE ? "; LINE
p4: IF p4<=" " THEN IF p4(1)="n"
OR p4(1)="r" THEN GO TO 9999
1050 INPUT "Head speed 2 3 6 12
TO 30 m/s?"; LINE p4
1055 IF p4="q" OR p4="Q" THEN 3
FOR i = 0 TO 9999
1060 IF p4="2" THEN LET p4="20"
1065 IF p4="3" THEN LET p4="30"
1070 IF p4="6" AND p4<"12" AND
D p4<"20" AND p4<"30" THEN GO
TO 1040
1075 LET s=INT ((VAL p4/6)-.5)*
q4="30")
1080 RANDOMIZE USE 100: GO TO 0
1090 RESTORE 1150
1110 FOR A=40000 TO 40000
1120 READ B: FOR J, s
1130 NEXT A
1140 REM THE s IS THE STEP SIZE
1150 DATA 243,205,98,0,178,88,3
5,58,285,128,0,245,123,0,62,0,8
6,134,38,295,129,0,8,100,0,251
,301,0,0,0,8
1160 PRINT AT 20,12: FLASH 1:"W
ORKING!"
1180 RANDOMIZE USE 40000
1260 PRINT AT 20,12: FLASH 1:"W
orking!"
1270 REM GO TO 1040
1280 GO TO 9999
1360 FOR B=40000 TO 40000: PRINT
" BLEN s="; s; NEXT B
9990 RANDOMIZE USE 100: GO TO 4
9992 RANDOMIZE USE 100: SAVE "s
eaprt.81" LINE 100
9993 REM RANDOMIZE USE 100: SAV
E "seaprt.81" LINE 100
9994 RANDOMIZE USE 100: LOAD "s
eaprt.81"

```

A D 2

To put an AD in the IRC and newsletter, upload a file with the filename filetype:

THE

[Home](#)
[About](#)
[Contact](#)
[Privacy Policy](#)
[Terms of Service](#)

```

FOR SALE:                               ON 11/12/89
*****
SERVO-IT-350      WITH HARD DRIVE
(42 MB / 40 MB) + EXTERNA SV-312
CONTROLLER (HD + TD : AT-TYPE)
WITH DRILL SEPARATE .....$135
SERVO-IT-1 (300 BAUD TERMINAL)
w/ COMPOSITE MONITOR .....$85
CUMMINS DISK 1/2 (50) .....$125
RADIUM GL W/PS (180) .....$75
INTEGRATED ACCOUNTS (for 3 mds)
.....$45
SPEDSCREEN ROM (w/ RAM cards on
1 mdw) .....$15
CALL: Al Perry 817/581-973-0489

```

FOR SALE: ON 903721
 LANDING HIGH GREEN SCREEN 13"
 MONITOR HAS LESS THAN 1000
 HOURS. PURCHASED 1987 IBM 515
 28-9 CONNECTOR.
 CONTACT: BOUCE EASTMAN
 WYOS/276-2112 NYOS/648-6633
 C L A N T

Z88!



**The Most Powerful
Small Business Computer**

We Support the Z88!

We don't want you to know that we will be supporting the Z88 for the bulk of our lifetime. If there is something that you would like for your old computer, we want to let you know. We want you to have portable business (Z88) with you at all times. We want you to have the Z88 with you at all times. We want you to have the Z88 with you at all times. We want you to have the Z88 with you at all times.

For more information or prices, contact us at the address or phone given below.

ONE ENTERPRISES

1101 12th STREET
BOSTON, MASS. 02111
208/422-7600 • 800-638-7047

